

Vascular Flora of the Deep Fork National Wildlife Refuge, Okmulgee County, Oklahoma

Authors: Hoagland, Bruce W., and Buthod, Amy K.

Source: Castanea, 82(1) : 32-45

Published By: Southern Appalachian Botanical Society

URL: <https://doi.org/10.2179/16-102>

BioOne Complete (complete.BioOne.org) is a full-text database of 200 subscribed and open-access titles in the biological, ecological, and environmental sciences published by nonprofit societies, associations, museums, institutions, and presses.

Your use of this PDF, the BioOne Complete website, and all posted and associated content indicates your acceptance of BioOne's Terms of Use, available at www.bioone.org/terms-of-use.

Usage of BioOne Complete content is strictly limited to personal, educational, and non - commercial use. Commercial inquiries or rights and permissions requests should be directed to the individual publisher as copyright holder.

BioOne sees sustainable scholarly publishing as an inherently collaborative enterprise connecting authors, nonprofit publishers, academic institutions, research libraries, and research funders in the common goal of maximizing access to critical research.

Vascular Flora of the Deep Fork National Wildlife Refuge, Okmulgee County, Oklahoma

Bruce W. Hoagland^{1,2*} and Amy K. Buthod¹

¹Oklahoma Biological Survey, University of Oklahoma, Norman, Oklahoma 73019-0575

²Department of Geography and Environmental Sustainability, University of Oklahoma,
Norman, Oklahoma 73019-0575

ABSTRACT The Deep Fork National Wildlife Refuge (3,925 ha) is located in east-central Oklahoma. We report 584 taxa of vascular plants (565 species and 19 infraspecific taxa), 349 genera, and 106 families. The largest families were the Poaceae (with 84 taxa), Asteraceae (73 taxa), and Fabaceae (45 taxa). Eighty introduced taxa and 13 taxa tracked by the Oklahoma Natural Heritage Inventory were encountered.

Key words: Oklahoma, plant inventory, vascular plants.

INTRODUCTION The Deep Fork River (or the Deep Fork of the Canadian River) is 370 km in length from its headwaters in the Oklahoma City metropolitan area to Lake Eufaula in east central Oklahoma. It is a low-gradient stream that meanders in a broad floodplain and was subject to frequent flooding. In an attempt to alleviate this problem, the upper reaches of the Deep Fork River were channelized through a series of projects beginning in 1912 and ending in 1923 (Harper and Gray 1954). Extensive siltation on much of the floodplain was the unintended outcome of this effort, which also affected the growth and vigor of woody plants (Harper 1937, Harper and Garman 1948). Despite this, Brabander et al. (1985) identified ecologically significant bottomland forest at multiple locations in the Deep Fork basin.

Today, the Deep Fork flows through three conservation areas. The Deep Fork Wildlife Management Area (DFWMA) and the Eufaula Wildlife Management Area Deep Fork Arm (EWMA) are both managed by the Oklahoma Department of Wildlife Conservation. The third area is the Deep Fork National Wildlife Refuge (DFNWR), which is a facility of the United States Fish and Wildlife Service. Lists of vascular plants have been published for two

of these facilities. In 1996, Hoagland and Johnson (2005) inventoried the vascular plants of the DFWMA and a moist soils management unit at the EWMA. These units occupy areas of 4,816 and 2,000 ha respectively. They reported 162 taxa of vascular plants in 58 families and 126 genera at the EWMA and 434 taxa of vascular plants in 97 families and 287 genera at the DFWMA. There were a total of 500 taxa of vascular plants in 99 families and 293 genera when both lists were combined. The largest families were the Poaceae (with 77 taxa), Asteraceae (58), Cyperaceae (46), and Fabaceae (36). One hundred and seventy-seven taxa were annuals, 16 were biennials, and 391 were perennials. The objective of this study was to complete a similar taxa list for the DFNWR. The results will serve as a resource for Refuge managers and a baseline for future monitoring.

STUDY AREA The Deep Fork National Wildlife Refuge (096°00'21.6"W to 095°54'39.6" W and 35°34'51.6"N to 35°32'24.0"N, Figure 1) was established in 1993. It currently protects 3,925 ha of upland forest, old fields, bottomland forests, and emergent wetlands (United States Fish and Wildlife Service 2015). The DFNWR is located in the Subtropical Humid (Cf) climate zone (Trewartha 1968). Summers are warm (mean July temperature 27.2°C) and humid; winters are relatively short and mild (mean

*email address: bhoagland@ou.edu

Received June 24, 2016; Accepted January 24, 2017; Published Online May 16, 2017.

DOI: 10.2179/16-102




Figure 1. Location of the Deep Fork National Wildlife Refuge, Okmulgee County, Oklahoma.

January temperature 2.6°C). Mean annual precipitation is 110 cm (Oklahoma Climatological Survey 2016).

The DFNWR is located in the Osage Plains section of the Central Lowlands province (Hunt 1974) and within the Eastern Sandstone Cuesta Plains province of Oklahoma (Curtis et al. 2008). The surface geology consists of Pennsylvanian sandstones and quaternary alluvium (Johnson 2008). Floodplain soil associations at the DFNWR are predominantly the Verdigris-Lightning-Pulaski association (nearly level, deep, loamy floodplain soils) and the Konawa-Stidham (nearly level to sloping, deep, sandy soils). Upland soil associations include the Hector-Hartsells (very gently sloping to steep, moderately deep soils on forested uplands) and the Taloka (nearly level, deep soils on prairies; Sparwasser et al. 1968).

Potential natural vegetation of Okmulgee County consists of post oak-blackjack oak forests and tallgrass prairie in the uplands and bottomland forests (Duck and Fletcher 1943). Clearing and conversion to agriculture of the bottomland forests along the Deep Fork began in the 19th century, with restricted clearing following removal of the Creek Nation to Indian Territory and accelerating as the century progressed. In the mid-20th century, land abandonment allowed some areas to return to *Quercus palustris-Carya illinoiensis/Ilex decidua* and *Ulmus rubra-Celtis laevigata-Fraxinus pennsylvanica* bottomlands forests. Many hectares in the area are still used for pasture, much of which was converted from native grasses to

Schedonorus arundinaceus (Sparwasser et al. 1968).

METHODS Vouchers of vascular plants were made throughout the growing season (March to October) of 2014. Vouchers for introduced taxa were made from naturalized populations only, thus excluding cultivated and ornamental plants. Specimens were processed and deposited at the Robert Bebb Herbarium (OKL) at the University of Oklahoma following standard procedures. Manuals used for specimen identification included Yatskievych (1999, 2006) and Tyrl et al. (2010). Identifications were verified by comparison with collections from the Robert Bebb Herbarium. The PLANTS Database (USDA, NRSC 2016) and Taylor and Taylor (1991) were consulted to determine whether species were native or introduced to North America. Nomenclature and classification follow the Integrated Taxonomic Information System (ITIS 2016) and Angiosperm Phylogeny Group III (Stevens 2001 and onwards).

RESULTS AND DISCUSSION We collected 565 species and 19 infraspecific taxa in 349 genera and 106 families (Table 1, Appendix). The Poaceae (84 taxa), Asteraceae (73 taxa), and Fabaceae (45 taxa) were the largest families. There were 80 introduced taxa recorded from the DFNWR, with Poaceae (15) and the Fabaceae (12) contributing the most taxa. Perennial taxa (67%) predominated the flora, followed by annuals (30%) and biennials (3%). Thirteen taxa tracked by the Oklahoma Natural Heritage

Table 1. Summary of collections from the Deep Fork National Wildlife Refuge, Okmulgee County, Oklahoma. Format follows Palmer and Richardson (2012). Tracked taxa are rare species monitored by the Oklahoma Natural Heritage Inventory. Introduced taxa are those nonnative to North America, excluding cultivated and ornamental plants.

Classification	Number of Taxa
Families	106
Genera	349
Species	565
Infraspecific taxa	19
Tracked taxa	13
Introduced taxa	80
Perennials	391
Annuals	177
Biennials	16

Inventory (Oklahoma Natural Heritage Inventory 2016; Table 2) were encountered.

Seven vegetation types were identified at DFNWR and are described below. The vegetation associations listed follow Hoagland (2000).

Upland Forest Associations

1. *Quercus stellata-Q. marilandica-Carya texana/Vaccinium arboreum forest association* (QSCT). This association predominates under xeric conditions, such as ridgelines and south-facing slopes. Regionally, these forests are known as cross timbers. Common associates included *Antennaria neglecta*, *Carex albicans*, *Cercis canadensis*, *Helianthus hirsutus*, *Hypericum hypericoides*, *Lespedeza repens*, *Luzula bulbosa*, *Monarda fistulosa*,

Muhlenbergia sobolifera, *Passiflora lutea*, *Prunus mexicana*, *Schizachyrium scoparium*, *Symphyotrichum patens* var. *patens*, *Tradescantia ohiensis*, and *Viburnum rufidulum*.

2. *Quercus stellata-Q. shumardii-Carya cordiformis forest association* (QSCC). This association was common on east and north aspects or low slope positions above the floodplain and terraces. Although many of the associated species are shared with the cross timber forest type, additional associates included *Clitoria mariana*, *Cornus florida*, *Danthonia spicata*, *Monarda russeliana*, *Muhlenbergia sobolifera*, *Myosotis macrosperma*, *Sanicula canadensis*, and *Vitis palmata*. *Hexalectris spicata*, which is tracked by the ONHI, occurred in this forest association.

Bottomland Forest Associations

3. *Quercus palustris-Carya illinoiensis/Ilex decidua forest association* (QPCI). This habitat type predominated in backswamps and abandoned meander scrolls. Associated species included *Ampelopsis arborea*, *Boehmeria cylindrica*, *Carex crus-corvi*, *Forestiera acuminata*, *Crataegus viridis*, *Gleditsia triacanthos*, *Impatiens capensis*, *Morus rubra*, and *Packera glabella*.
4. *Platanus occidentalis-Acer negundo forest association* (POAN). This forest association was common along streambanks. Associated species included *Acer saccharinum*, *Chas-*

Table 2. Taxa tracked by the Oklahoma Natural Heritage Inventory that occur at the Deep Fork National Wildlife Refuge. Taxa are ranked according to level of imperilment at the subnational (S) and global (G) levels on a scale of 1 to 5: a 1 represents a taxon that is imperiled, and a 5 represents a taxon that is secure. ? = rank score is uncertain (Groves et al. 1995).

Taxon	Family	G Rank	S Rank
<i>Azolla filiculoides</i> Lam.	Azollaceae	5	2
<i>Carex fissa</i> Mack.	Cyperaceae	4?	3
<i>Carex typhina</i> Michx.	Cyperaceae	5	1
<i>Cornus foemina</i> Mill.	Cornaceae	5	2
<i>Cuscuta indecora</i> Choisy var. <i>attenuata</i> (Waterfall) Costea	Convolvulaceae	2	1
<i>Hexalectris spicata</i> (Walter) Barnhart	Orchidaceae	5	1
<i>Marsilea vestita</i> Hook. & Grev.	Marsilaceae	5	3
<i>Penstemon oklahomensis</i> Pennell	Plantaginaceae	3	3
<i>Physostegia intermedia</i> (Nutt.) Engelm. & A. Gray	Lamiaceae	5	1
<i>Rumex verticillatus</i> L.	Polygonaceae	5	3
<i>Thalia dealbata</i> Fraser ex Roscoe	Marantaceae	4	3
<i>Thalictrum revolutum</i> DC.	Ranunculaceae	5	2
<i>Urtica chamaedryoides</i> Pursh	Urticaceae	4/5	3

- manthium latifolium*, *Populus deltoides*, and *Zizia aurea*.
5. *Ulmus rubra-Celtis laevigata-Fraxinus pennsylvanica* forest association (URFP). This association occurred on infrequently inundated portions of the floodplain and terraces of the Deep Fork River and on the floodplain of larger streams. It often intergraded with *Platanus occidentalis-Acer negundo* forest association. Associated species included *Arisaema dracontium*, *Bromus pubescens*, *Carex blanda*, *Carex cherokeensis*, *Cinna arundinacea*, *Cryptotaenia canadensis*, *Desmodium glutinosum*, *Elephantopus carolinianus*, *Geum canadense*, *Persicaria virginiana*, *Phryma leptostachya*, *Quercus macrocarpa*, and *Ruellia strepens*. Three tracked species occur in this association: *Cornus foemina*, *Thalictrum revolutum*, and *Urtica chamaedryoides*.
6. *Herbaceous wetland vegetation* (WETL). Several WETL associations were present at DFNWR. However, because they heavily intergrade, all were subsumed into one category. Examples of the *Typha latifolia* herbaceous association and the *Ludwigia peploides-Persicaria hydropiperoides* herbaceous association predominated. Common wetland taxa included *Cephalanthus occidentalis*, *Hibiscus laevis*, *Juncus effusus*, *Nelumbo lutea*, *Persicaria amphibia*, *Sagittaria graminea*, and *Salix nigra*. Tracked species occurring in herbaceous wetlands included *Azolla filiculoides*, *Carex fissa*, *Carex typhina*, *Marsilea vestita*, *Physostegia intermedia*, *Rumex verticillatus*, and *Thalia dealbata*.
7. *Disturbed areas and old-field vegetation* (DAOF). DAOF consisted of parking areas, mowed lawns, roadsides, and other sites exhibiting signs of physical disruption. Common plants in disturbed areas included *Ambrosia artemisiifolia*, *A. trifida*, *Andropogon virginicus*, *Conyza canadensis*, *Daucus pusillus*, *Digitaria ciliaris*, *Lespedeza cuneata*, *Melilotus officinalis*, *Mollugo verticillata*, *Rhus glabra*, *Sorghum halepense*, and *Trifolium dubium*. Tracked species occurring in this habitat included *Cuscuta indecora* var. *attenuata* and *Penstemon oklahomensis*.
- Wildlife Service. We thank Gloria Caddell and Suneeti Jog for their constructive review of the manuscript.

LITERATURE CITED

- Brabander J.J., R.E. Masters, and R.M. Short. 1985. Bottomland hardwoods of eastern Oklahoma. U.S. Fish and Wildlife Service, Tulsa, Oklahoma.
- Curtis, N.M., W.E. Ham, and K.S. Johnson. 2008. Geomorphic provinces of Oklahoma. p. 8. In: Johnson, K.S. and K.V. Luza (eds.). Earth sciences and mineral resources of Oklahoma. Oklahoma Geological Survey, Norman, Oklahoma.
- Duck, L.G. and J.B. Fletcher. 1943. A game type map of Oklahoma. A survey of the game and furbearing animals of Oklahoma. Oklahoma Department of Wildlife Conservation, Oklahoma City, Oklahoma.
- Groves, C.R., M.L. Klein, and T.F. Breden. 1995. Natural Heritage Programs: public-private partnerships for biodiversity conservation. *Wildlife Soc. Bull.* 23:784–790.
- Harper, H.J. 1937. Effect of silting on tree development in the Deep Fork of the North Canadian River Valley in Lincoln County, Oklahoma. *Proc. Oklahoma Acad. Sci.* 18:46–49.
- Harper, H.J. and W.L. Garman. 1948. Further studies on the recent accumulation of alluvium in the Deep Fork of the North Canadian River valley in Lincoln County, Oklahoma. *Proc. Oklahoma Acad. Sci.* 29:56–59.
- Harper, H.J. and F. Gray. 1954. A fourth report on the accumulation of recent alluvium in the Deep Fork of the North Canadian River valley in Lincoln County, Oklahoma. *Proc. Oklahoma Acad. Sci.* 35:91–92.
- Hoagland, B.W. 2000. The vegetation of Oklahoma: a classification of landscape mapping and conservation planning. *S. W. Naturalist* 45: 385–420.
- Hoagland, B.W. and F.L. Johnson. 2005. Vascular flora of the Deep Fork River in Okmulgee, Creek, and Okfuskee Counties. *Publ. Oklahoma Biol. Surv.* 6:15–29.
- Hunt, C.B. 1974. Natural regions of the United States and Canada. W.H. Freeman, San Francisco, California.
- Integrated Taxonomic Information System (ITIS). 2016. (www.itis.gov, 1 March 2016).

ACKNOWLEDGMENTS This project was funded by the United States Fish and

- Johnson, K.S. 2008. Generalized geologic map of Oklahoma. p. 6. In: Johnson, K.S. and K.V. Luza (eds.). Earth Sciences and Mineral Resources of Oklahoma. Oklahoma Geological Survey, Norman, Oklahoma.
- Oklahoma Climatological Survey. 2016. Oklahoma Climatological Data. (climate.ok.gov/index.php/climate/climate_normals_by_county, 1 March 2016). University of Oklahoma, Norman, Oklahoma.
- Oklahoma Natural Heritage Inventory. 2016. Vascular Plant Tracking List. (www.biosurvey.ou.edu/download/publications/NEWtrackinglist02212014.pdf, 1 March 2016). University of Oklahoma, Norman, Oklahoma.
- Palmer, M.W. and J.C. Richardson. 2012. Biodiversity data in the information age: do 21st century floras make the grade? *Castanea* 77: 46–59.
- Sparwasser W.A., V.A. Bogard, and O.G. Henson. 1968. Soil survey of Okmulgee County, Oklahoma. U.S. Department of Agriculture, Washington, DC.
- Stevens, P.F. (2001 onwards). Angiosperm Phylogeny Website. Version 12, July 2012. (www.mobot.org/MOBOT/research/APweb, 1 March 2016). Missouri Botanical Gardens, St. Louis, Missouri.
- Taylor R.J. and C.E. Taylor. 1991. An annotated list of the ferns, fern allies, gymnosperms, and flowering plants of Oklahoma. Published by the authors, Durant, Oklahoma.
- Trewartha, G.T. 1968. An introduction to climate. McGraw-Hill, New York, New York.
- Tyrl, R.J., S.C. Barber, P. Buck, W.J. Elisens, J.R. Estes, P. Folley, L.K. Magrath, C.L. Murray, A.K. Ryburn, B.A. Smith, C.E.S. Taylor, R.A. Thompson, J.B. Walker and L.E. Watson. 2010. Keys and descriptions for the vascular plants of Oklahoma. Flora Oklahoma Incorporated, Noble, Oklahoma.
- USDA, NRCS. 2016. The PLANTS database. (plants.usda.gov/plants, 1 January 2016). National Plant Data Team, Greensboro, North Carolina 27401-4901.
- United States Fish and Wildlife Service. 2015. Deep Fork National Wildlife Refuge (http://www.fws.gov/refuge/Deep_Fork/about.html, 15 December 2015). 1849 C Street, NW, Washington, DC 20240.
- Yatskievych, G. 1999. Steyermark's flora of Missouri, Volume 1. Revised ed. Missouri Botanical Garden Press, St. Louis, Missouri and Missouri Department of Conservation, Jefferson City, Missouri.
- Yatskievych, G. 2006. Steyermark's flora of Missouri, Volume 2. Revised ed. Missouri Botanical Garden Press, St. Louis, Missouri and Missouri Department of Conservation, Jefferson City, Missouri.
- APPENDIX** Annotated list of vascular plant taxa collected at the Deep Fork National Wildlife Refuge, Okmulgee County, Oklahoma. Each entry includes life history (A = annual, B = biennial, or P = perennial); growth form (F = forb, G = graminoid, S = shrub, T = tree, or V = woody vine); habitat (DAOF = disturbed area/old field, POAN = *Platanus occidentalis*-*Acer negundo* forest association, QPCI = *Quercus palustris*-*Carya illinoensis*/*Ilex decidua* forest association, QSCC = *Quercus stellata*-*Q. shumardii*-*Carya cordiformis* forest association, QSCT = *Quercus stellata*-*Q. marilandica*-*Carya texana*/*Vaccinium arboreum* forest association, URFP = *Ulmus rubra*-*Celtis laevigata*-*Fraxinus pennsylvanica* forest association, WETL = herbaceous wetland vegetation); and collection number. Introduced taxa are denoted with an asterisk (*) and taxa tracked by the Oklahoma Natural Heritage Inventory are denoted with a dagger (†).
- ACANTHACEAE**
- Justicia americana* (L.) Vahl.: P; F; WETL; DF-026
- Ruellia humilis* Nutt.: P; F; DAOF; DF-025
- Ruellia strepens* L.: P; F; QSCC, URFP; DF-024
- ADOXACEAE**
- Sambucus nigra* L.: P; S; DAOF; DF-160
- Viburnum rufidulum* Raf.: P; S; QSCT; DF-162
- ALISMATACEAE**
- Alisma subcordatum* Raf.: P; F; WETL; DF-032
- Echinodorus cordifolius* (L.) Griseb.: P; F; WETL; DF-033
- Sagittaria brevirostra* Mackenzie & Bush: P; F; WETL; DF-034
- Sagittaria platyphylla* (Engelm.) J.G. Sm.: P; F; WETL; DF-030
- AMARANTHACEAE**
- Amaranthus tuberculatus* (Moq.) Sauer: A; F; DAOF; DF-038
- **Chenopodium album* L.: A; F; DAOF; DF-229
- Chenopodium pratericola* Rydb.: A; F; DAOF; DF-226
- Dysphania ambrosioides* (L.) Mosyakin & Clemants: A; F; DAOF; DF-230
- Froelichia floridana* (Nutt.) Moq.: A; F; DAOF; DF-039

<i>Iresine rhizomatosa</i> Standl.: A; F; DAOF; DF-040	ASPARAGACEAE
	AMARYLLIDACEAE
<i>Allium canadense</i> L.: P; F; DAOF; DF-716	* <i>Liriope spicata</i> (Thunb.) Lour.: P; F; POAN; DF-349
<i>Nothoscordum bivalve</i> (L.) Britton: P; F; DAOF; DF-335	* <i>Muscaria botryoides</i> (L.) Mill.: P; F; DAOF; DF-337
	ASPLENIACEAE
	<i>Asplenium platyneuron</i> (L.) B.S.P.: P; F; QSCC, QSCT; DF-050
	ASTERACEAE
	<i>Achillea millefolium</i> L.: P; F; DAOF; DF-119
	<i>Ambrosia artemisiifolia</i> L.: A; F; DAOF; DF-068
	<i>Ambrosia bidentata</i> Michx.: A; F; DAOF; DF-087
	<i>Ambrosia psilostachya</i> DC.: P; F; DAOF; DF-082
	<i>Ambrosia trifida</i> L.: A; F; DAOF; DF-083
	<i>Amphiachyris dracunculoides</i> (DC.) Nutt.: A; F; DAOF; DF-137
	<i>Antennaria neglecta</i> Greene: P; F; QSCC, QSCT; DF-054
	<i>Antennaria partinii</i> Fern. spp. <i>fallax</i> (Greene) Bayer & Stebbins: P; F; QSCC, QSCT; DF-118
	<i>Artemisia ludoviciana</i> Nutt.: P; F; DAOF; DF-110
	<i>Astranthium integrifolium</i> (Michx.) Nutt.: A; F; DAOF; DF-122
	<i>Bidens bipinnata</i> L.: A; F; URFP; DF-136
	<i>Bidens frondosa</i> L.: A; F; WETL; DF-071
	<i>Bidens polylepis</i> S.F. Blake: A; F; WETL; DF-114
	<i>Boltonia diffusa</i> Elliot: P; F; WETL; DF-131
	<i>Bradburia pilosa</i> (Nutt.) Semple: A; F; DAOF; DF-078
	* <i>Carduus nutans</i> L.: B; F; DAOF; DF-115
	<i>Cirsium altissimum</i> (L.) Hill: P; F; DAOF; DF-080
	* <i>Cirsium vulgare</i> (Savi) Ten.: B; F; DAOF; DF-143
	<i>Conoclinium coelestinum</i> (L.) DC.: P; F; WETL; DF-081
	<i>Conyzza canadensis</i> (L.) Cronquist: A; F; DAOF; DF-089
	<i>Coreopsis grandiflora</i> Hogg ex Sweet: P; F; DAOF; DF-125
	<i>Coreopsis tinctoria</i> Nutt.: B; F; DAOF, WETL; DF-077
	<i>Echinacea angustifolia</i> DC.: P; F; DAOF; DF-120
	<i>Eclipta prostrata</i> (L.) P.; F; WETL; DF-061
	<i>Elephantopus carolinianus</i> Raeusch.: P; F; QSCC, URFP; DF-055
	<i>Erechtites hieraciifolius</i> (L.) Raf. ex DC.: A; F; DAOF, QSCC; DF-135
	<i>Erigeron strigosus</i> Muhl. ex Willd.: P; F; DAOF; DF-097
	<i>Eupatorium perfoliatum</i> L.: P; F; WETL; DF-065
	<i>Eupatorium serotinum</i> Michx.: P; F; DAOF; DF-094
	<i>Euthamia gymnospermoides</i> Greene: P; F; DAOF; DF-073
	<i>Gamochaeta purpurea</i> (L.) Cabrera: A; F; DAOF; DF-128
	<i>Grindelia ciliata</i> (Nutt.) Spreng.: A; F; DAOF; DF-102
	<i>Helenium amarum</i> (Raf.) H. Rock: A; F; DAOF; DF-074
	<i>Helianthus hirsutus</i> Raf.: P; F; QSCC, QSCT; DF-057
	<i>Helianthus mollis</i> Lam.: P; F; DAOF; DF-058
	<i>Heterotheca subaxillaris</i> (Lam.) Britton & Rusby: A; F; DAOF; DF-113
	<i>Hieracium longipilum</i> Torr.: P; F; DAOF; DF-101
	ARACEAE
<i>Arisaema dracontium</i> (L.) Schott: P; F; QSCC, URFP; DF-003	
<i>Lemma minor</i> L.: P; F; WETL; DF-717	
<i>Spirodela polyrrhiza</i> (L.) Schleid.: P; F; WETL; DF-718	
	ARISTOLOCHIACEAE
<i>Aristolochia tomentosa</i> Sims: P; V; DAOF; DF-004	

- Iva angustifolia* Nutt. ex DC.: A; F; DAOF; DF-141
- Iva annua* L.: A; F; DAOF; DF-090
- Krigia caespitosa* (Raf.) K.L Chambers: A; F; WETL; DF-117
- Krigia dandelion* (L.) Nutt.: P; F; DAOF; DF-123
- Krigia occidentalis* Nutt.: A; F; DAOF; DF-127
- Lactuca canadensis* L.: A; F; DAOF; DF-111
- Lactuca ludoviciana* (Nutt.) Riddell: A; F; DAOF; DF-064
- **Lactuca serriola* L.: B; F; DAOF; DF-063
- Liatris aspera* Michx.: P; F; DAOF; DF-059
- Liatris punctata* Hook.: P; F; DAOF; DF-142
- Packera glabella* (Poir) C. Jeffrey: A; F; QPCI, WETL; DF-056
- Packera obovata* (Muhl. ex Willd.) W.A. Weber & A. Löve: P; F; DAOF; DF-052
- Pluchea camphorata* (L.) DC.: P; F; DAOF, WETL; DF-139
- Pseudognaphalium obtusifolium* (L.) Hilliard & B.L. Burtt: B; F; DAOF; DF-096
- Pyrrhopappus carolinianus* (Walter) DC.: B; F; DAOF; DF-121
- Pyrrhopappus grandiflorus* (Nutt.) Nutt.: P; F; DAOF; DF-126
- Rudbeckia amplexicaulis* Vahl: A; F; WETL; DF-076
- Rudbeckia grandiflora* (D. Don) J.F. Gmel. ex DC.: P; F; DAOF; DF-112
- Rudbeckia hirta* L.: P; F; DAOF; DF-075
- Rudbeckia triloba* L.: P; F; POAN, URFP, WETL; DF-098
- Silphium radula* Nutt.: P; F; DAOF; DF-109
- Smallanthus uvedalia* (L.) Mack. ex Small: P; F; QCSS; DF-070
- Solidago canadensis* L.: P; F; DAOF; DF-072
- Solidago radula* Nutt.: P; F; DAOF; DF-103
- Solidago ulmifolia* Muhl. ex Willd.: P; F; QSCC, QSCT; DF-107
- **Sonchus asper* (L.) Hill: A; F; DAOF; DF-124
- Sympyotrichum ericoides* (L.) G.L. Nesom var. *ericoides*: P; F; DAOF; DF-066
- Sympyotrichum oblongifolium* (Nutt.) G.L. Nesom: P; F; DAOF; DF-130
- Sympyotrichum oolentangiense* (Riddell) G.L. Nesom: P; F; DAOF; DF-132
- Sympyotrichum patens* (Aiton) G.L. Nesom var. *patens*: P; F; QSCC, QSCT; DF-084
- Sympyotrichum praealtum* (Poir.) G.L. Nesom: P; F; DAOF; DF-129
- **Taraxacum officinale* F.H. Wigg.: P; F; DAOF; DF-053
- Verbesina alternifolia* (L.) Britton ex Kearney: P; F; QSCC, QSCT; DF-140
- Verbesina virginica* L.: P; F; QSCC, QSCT; DF-079
- Vernonia baldwinii* Torr.: P; F; DAOF; DF-062
- Xanthium strumarium* L.: A; F; DAOF; DF-085
- AZOLLACEAE
- †*Azolla filiculoides* Lam.: A; F; WETL; DF-719
- BALSAMINACEAE
- Impatiens capensis* Meerb.: A; F; QPCI, WETL, URFP; DF-192
- BIGNONIACEAE
- Campsis radicans* (L.) Seem. ex Bureau: P; V; DAOF; DF-190
- Catalpa speciosa* (Warder) Warder ex Engelm.: P; T; DAOF; DF-191
- BORAGINACEAE
- **Buglossoides arvensis* (L.) I.M. Johnston: A; F; DAOF; DF-186
- Lithospermum incisum* Lehm.: P; F; DAOF; DF-185
- Myosotis macrosperma* Engelm.: A; F; QSCC; DF-187
- BRASSICACEAE
- **Barbarea vulgaris* W.T. Aiton: B; F; DAOF; DF-181
- Boechera canadensis* (L.) Al-Shehbaz: B; F; QSCC, QSCT; DF-176
- **Capsella bursa-pastoris* (L.) Medik.: A; F; DAOF; DF-721
- **Cardamine hirsuta* L.: A; F; DAOF; DF-182
- Cardamine parviflora* L.: A; F; DAOF; DF-183
- Cardamine pensylvanica* Muhl. ex Willd.: A; F; DAOF; DF-180
- Draba brachycarpa* Nutt. ex Torr. & A. Gray: A; F; DAOF; DF-173
- Lepidium densiflorum* Schrad.: B; F; DAOF; DF-178
- Lepidium virginicum* L.: A; F; DAOF; DF-184
- Rorippa sessiliflora* (Nutt.) Hitchc.: A; F; WETL; DF-179
- CACTACEAE
- Opuntia macrorhiza* Engelm.: P; F; DAOF, QSCT; DF-170
- CAMPANULACEAE
- Lobelia cardinalis* L.: P; F; WETL; DF-165
- Lobelia spicata* Lam.: P; F; DAOF; DF-169
- Triodanis perfoliata* (L.) Nieuwl. ssp. *biflora* (Ruiz & Pav.) Lammers: A; F; DAOF; DF-167
- Triodanis perfoliata* (L.) Nieuwl.: A; F; DAOF; DF-166
- CANNABACEAE
- Celtis laevigata* Willd.: P; T; QPCI, QSCC, URFP; DF-584
- CAPRIFOLIACEAE
- **Lonicera japonica* Thunb.: P; V; DAOF, QSCC, URFL; DF-161
- Lonicera sempervirens* L.: P; V; QSCC, QSCT; DF-163
- Syphoricarpos orbiculatus* Moench: P; S; DAOF; DF-164
- CARYOPHYLLACEAE
- **Arenaria serpyllifolia* L.: A; F; DAOF; DF-156
- **Cerastium glomeratum* Thuill.: A; F; DAOF; DF-150
- **Cerastium pumilum* W. Curtis: A; F; DAOF; DF-151
- **Dianthus armeria* L.: A; F; DAOF; DF-157
- Minuartia drummondii* (Shinners) McNeill: A; F; DAOF; DF-155
- Paronychia fastigiata* (Raf.) Fernald: A; F; DAOF; DF-147

- Sagina decumbens* (Elliot) Torr. & A. Gray: A; F; DAOF; DF-149
- **Saponaria officinalis* L.: P; F; DAOF; DF-148
- **Scleranthus annuus* L.: A; F; DAOF; DF-152
- Silene antirrhina* L.: A; F; DAOF; DF-159
- Silene stellata* (L.) W.T. Aiton: P; F; QSCC; DF-146
- **Stellaria media* (L.) Vill.: A; F; DAOF; DF-153
- CELASTRACEAE
- Celastrus scandens* L.: P; V; DAOF; DF-144
- **Euonymus bungeanus* Maxim: P; V; DAOF; DF-145
- CISTACEAE
- Lechea mucronata* Raf.: P; F; DAOF; DF-225
- Lechea tenuifolia* Michx.: P; F; DAOF; DF-224
- COMMELINACEAE
- **Commelina communis* L.: A; F; DAOF; DF-213
- Commelina virginica* L.: P; F; URFP, WETL; DF-215
- Tradescantia ohiensis* Raf.: P; F; DAOF; DF-214
- CONVOLVULACEAE
- Cuscuta cuspidata* Engelm.: P; F; DAOF; DF-198
- †*Cuscuta indecora* Choisey var. *attenuata* (Waterfall Costea: P; F; DAOF; DF-201
- Cuscuta gronovii* Willd. ex Schult.: P; F; DAOF; DF-200
- Cuscuta pentagona* Engelm.: P; F; DAOF; DF-196
- **Ipomoea hederacea* Jacq.: A; F; DAOF; DF-212
- Ipomoea lacunosa* L.: A; F; DAOF; DF-209
- Ipomoea pandurata* (L.) G. Mey.: P; F; DAOF; DF-211
- CORNACEAE
- Cornus florida* L.: P; S; QSCC, URFL; DF-207
- †*Cornus foemina* Mill.: P; S; URFL; DF-715
- CUCURBITACEAE
- Melothria pendula* L.: P; F; DAOF; DF-204
- CUPRESSACEAE
- Juniperus virginiana* L.: P; T; DAOF, QSCT; DF-203
- CYPERACEAE
- Carex albicans* Willd. ex Spreng.: P; G; QSCC, QSCT; DF-677
- Carex annectens* (E.P. Bicknell) E.P. Bicknell: P; G; WETL; DF-687
- Carex aureolensis* Steud.: P; G; WETL; DF-692
- Carex austrina* Mack.: P; G; WETL; DF-700
- Carex blanda* Dewey: P; G; QSCC, URFP; DF-689
- Carex bushii* Mack.: P; G; DAOF; DF-698
- Carex caroliniana* Schwein.: P; G; WETL; DF-690
- Carex cherokeensis* Schwein.: P; G; QSCC, URFP; DF-680
- Carex crus-corvi* Shuttlw. ex Kunze: P; G; QPCI; DF-678
- †*Carex fissa* Mack.: P; G; WETL; DF-686
- Carex gravida* L.H. Bailey: P; G; WETL; DF-702
- Carex jamesii* Schwein.: P; G; URFP; DF-685
- Carex leavenworthii* Dewey: P; G; DAOF; DF-696
- Carex lupuliformis* Sartwell ex Dewey: P; G; WETL; DF-675
- Carex muehlenbergii* Schkuhr ex Willd.: P; G; QSCC; DF-703
- Carex oxylepis* Torr. & Hook.: P; G; URFP; DF-683
- Carex retroflexa* Muhl. ex Willd.: P; G; QSCC; DF-699
- Carex tribuloides* Wahlb.: P; G; URFP; DF-695
- †*Carex typhina* Michx.: P; G; WETL; DF-673
- Cyperus acuminatus* Torr. & Hook. ex Torr.: P; G; WETL; DF-671
- Cyperus echinatus* (L.) Alph. Wood: P; G; DAOF; DF-664
- Cyperus erythrorhizos* Muhl.: P; G; WETL; DF-670
- Cyperus lupulinus* (Spreng.) Marcks spp. *lupulinus*: P; G; DAOF; DF-666
- Cyperus odoratus* L.: P; G; WETL; DF-668
- Cyperus pseudovegetus* Steud.: P; G; WETL; DF-665
- Cyperus strigosus* L.: P; G; WETL; DF-667
- Eleocharis ovata* (Roth) Roemer & J.A. Schultes: P; G; WETL; DF-655
- Fimbristylis puberula* (Michx.) Vahl: P; G; WETL; DF-662
- Fimbristylis vahlii* (Lam.) Link: P; G; WETL; DF-704
- Isolepis carinata* Hook. & Arn. ex Torr.: P; G; DAOF; DF-659
- Rhynchospora corniculata* (Lam.) A. Gray: P; G; WETL; DF-663
- Rhynchospora globularis* (Chapman) Small: P; G; WETL; DF-661
- Rhynchospora harveyi* W. Boott: P; G; DAOF; DF-672
- Scirpus pendulus* Muhl.: P; G; WETL; DF-658
- EBENACEAE
- Diospyros virginiana* L.: P; T; DAOF; DF-195
- EQUISETACEAE
- Equisetum hyemale* L.: P; F; WETL; DF-194
- ERICACEAE
- Vaccinium arboreum* Marsh: P; S; QSCT; DF-193
- EUPHORBIACEAE
- Acalypha gracilens* A. Gray: A; F; DAOF; DF-326
- Acalypha monococca* (Engelm. ex A. Gray) Lill. W. Mill. & Gandhi: A; F; DAOF; DF-319
- Acalypha rhomboidea* Raf.: A; F; DAOF; DF-324
- Acalypha virginica* L.: A; F; DAOF; DF-328
- Cnidoscolus texanus* (Muell.-Arg.) Small: P; F; DAOF; DF-316
- Croton capitatus* Michx.: A; F; DAOF; DF-318
- Croton glandulosus* L.: A; F; DAOF; DF-313
- Croton michauxii* G.L. Webster var. *elliptica* (Willd.) B.W. van Ee & P.E. Berry: A; F; DAOF; DF-317
- Croton monanthogynus* Michx.: A; F; DAOF; DF-312
- Euphorbia cyathophora* Murray: A; F; DAOF; DF-314
- Euphorbia dentata* Michx.: A; F; DAOF; DF-315
- Euphorbia maculata* L.: A; F; DAOF; DF-323
- Euphorbia nutans* Lag.: A; F; DAOF; DF-322
- Euphorbia spathulata* Lam.: A; F; DAOF; DF-327

- FABACEAE
**Albizia julibrissin* Durazz.: P; T; DAOF; DF-251
Amorpha fruticosa L.: P; T; WETL; DF-249
Amphicarpaea bracteata (L.) Fernald: P; F; QSCC, URFP; DF-263
Apios americana Medik.: P; F; POAN, URFL; DF-275
Baptisia leucophaea Nutt.: P; F; DAOF; DF-271
Cercis canadensis L.: P; T; QSCC, QSCT; DF-233
Chamaecrista fasciculata (Michx.) Greene: A; F; DAOF; DF-244
Chamaecrista nictitans (L.) Moench: A; F; DAOF; DF-261
Clitoria mariana L.: P; F; QSCC, QSCT; DAOF; DF-239
Dalea purpurea Vent.: P; F; DAOF; DF-247
Desmanthus illinoensis (Michx.) MacM. ex B.L. Rob. & Fernald: P; F; WETL; DF-240
Desmodium ciliare (Muhl. ex Willd.) DC.: P; F; QSCC; DF-257
Desmodium glabellum (Michx.) DC.: P; F; QSCC; DF-253
Desmodium glutinosum (Muhl. ex Willd.) Alph. Wood: P; F; URFP; DF-245
Desmodium laevigatum (Nutt.) DC.: P; F; QSCT; DF-254
Desmodium pauciflorum (Nutt.) DC.: P; F; QSCC; DF-276
Desmodium perplexum B.G. Schub.: P; F; URFP; DF-277
Desmodium sessilifolium (Torr.) Torr. & A. Gray: P; F; DAOF; DF-242
Galactia regularis (L.) Britton, Sterns & Poggenb.: P; F; QSCC; DF-262
Gleditsia triacanthos L.: P; T; QPCI; DF-243
Gymnocladus dioicus (L.) K. Koch: P; T; URFP; DF-266
**Kummerowia striata* (Thunb.) Schindl.: A; F; DAOF; DF-256
**Lathyrus hirsutus* L.: A; F; DAOF; DF-246
Lespedeza capitata Michx.: P; F; DAOF; DF-274
**Lespedeza cuneata* (Dum. Cours.) G. Don: P; F; DAOF; DF-238
Lespedeza repens (L.) W.P.C. Barton: P; F; QSCT; DF-258
Lespedeza virginica (L.) Britton: P; F; DAOF; DF-234
**Medicago lupulina* L.: P; F; DAOF; DF-259
**Melilotus officinalis* (L.) Lam.: A; F; DAOF; DF-269
Mimosa nuttallii (DC. ex Britton & Rose) B.L. Turner: P; F; DAOF; DF-273
Neptunia lutea (Leavenw.) Benth.: P; F; DAOF; DF-241
Psoralidium tenuiflorum (Pursh) Rydb.: P; F; DAOF; DF-265
Robinia hispida L.: P; T; DAOF; DF-268
Robinia pseudoacacia L.: P; T; DAOF; DF-270
Senna marilandica (L.) Link: P; F; DAOF; DF-231
Sesbania herbacea (Mill.) McVaugh: A; F; WETL; DF-255
Strophostyles helvola (L.) Elliott: A; F; DAOF; DF-236
Strophostyles leiosperma (Torr. & A. Gray) Piper: A; F; DAOF; DF-260

- Stylosanthes biflora* (L.) Britton, Sterns & Poggenb.: P; F; DAOF; DF-248
**Trifolium arvense* L.: A; F; DAOF; DF-267
**Trifolium campestre* Schreb.: A; F; DAOF; DF-264
**Trifolium pratense* L.: P; F; DAOF; DF-237
**Trifolium repens* L.: P; F; DAOF; DF-252
**Vicia sativa* L.: A; F; DAOF; DF-232
**Vicia villosa* Roth: A; F; DAOF; DF-272

FAGACEAE

- Quercus falcata* Michx.: P; T; QSCT; DF-307
Quercus macrocarpa Michx.: P; T; QSCC, URFP; DF-302
Quercus marilandica Münchh.: P; T; QSCT; DF-306
Quercus muehlenbergii Engelm.: P; T; QSCC; DF-301
Quercus palustris Münchh.: P; T; QPCI; DF-303
Quercus shumardii Buckley: P; T; QSCC; DF-309
Quercus stellata Wangenh.: P; T; QSCT; DF-300
Quercus velutina Lam.: P; T; QSCT; DF-308

GENTIANACEAE

- Sabatia angularis* (L.) Pursh: A; F; WETL; DF-293
Sabatia campestris Nutt.: A; F; DAOF; DF-294

GERANIACEAE

- Geranium carolinianum* L.: A; F; DAOF; DF-290
**Geranium dissectum* L.: A; F; DAOF; DF-292

HELIOTROPIACEAE

- *Heliotropium indicum* L.: A; F; WETL; DF-189

HALORAGACEAE

- Proserpinaca palustris* L.: P; F; WETL; DF-329

HYDROLEACEAE

- Hydrolea ovata* Nutt. ex Choisy: P; F; WETL; DF-287

HYDROPHYLACEAE

- Phacelia hirsuta* Nutt.: A; F; URFP; DF-288

HYPERICACEAE

- Hypericum drummondii* (Grev. & Hook.) Torr. & A. Gray: A; F; DAOF; DF-223

- Hypericum hypericoides* (L.) Crantz: P; S; QSCC, QSCT; DF-221

- Hypericum muticum* L.: P; F; WETL; DF-216

- *Hypericum perforatum* L.: P; F; DAOF; DF-219

- Hypericum punctatum* Lam.: P; F; DAOF; DF-217

HYPOXIDACEAE

- Hypoxis hirsuta* (L.) Coville: P; F; QSCT; DF-339

IRIDACEAE

- Sisyrinchium angustifolium* Mill.: P; F; DAOF; DF-286

- Sisyrinchium campestre* E.P. Bicknell: P; F; DAOF; DF-285

JUGLANDACEAE

- Carya cordiformis* (Wangenh.) K. Koch: P; T; QSCC, URFP; DF-282

- Carya illinoiensis* (Wangenh.) K. Koch: P; T; QPCI; DF-278
- Carya texana* Buckley: P; T; QSCT; DF-279
- Juglans nigra* L.: P; T; URFP; DF-283
- JUNCACEAE
- Juncus brachycarpus* Engelm.: P; G; WETL; DF-374
- Juncus diffusissimus* Buckley: P; G; WETL; DF-369
- Juncus effusus* L.: P; G; WETL; DF-367
- Juncus interior* Wiegand: P; G; DAOF; DF-378
- Juncus marginatus* Rostk.: P; G; WETL; DF-376
- Juncus tenuis* Willd.: P; G; DAOF; DF-368
- Juncus torreyi* Coville: P; G; WETL; DF-371
- Juncus validus* Coville: P; G; WETL; DF-372
- Luzula bulbosa* (Alph. Wood) Smyth & L.C.R. Smyth: P; G; QSCC; DF-370
- LAMIACEAE
- Hedeoma hispida* Pursh: A; F; DAOF; DF-362
- **Lamium amplexicaule* L.: A; F; DAOF; DF-352
- **Lamium purpureum* L.: A; F; DAOF; DF-351
- Lycopus americanus* Muhl. ex W.P.C. Bartram: P; F; WETL; DF-353
- Monarda fistulosa* L.: P; F; DAOF; DF-358
- Monarda punctata* L.: P; F; DAOF; DF-354
- Monarda russeliana* Nutt. ex Sims: P; F; QSCC; DF-360
- **Perilla frutescens* (L.) Britton: A; F; DAOF; DF-366
- †*Physostegia intermedia* (Nutt.) Engelm. & A. Gray: P; F; DAOF; DF-363
- Prunella vulgaris* L.: P; F; DAOF, URFP; DF-365
- Pycnanthemum tenuifolium* Schrad.: P; F; DAOF; DF-359
- Scutellaria lateriflora* L.: P; F; WETL; DF-357
- Scutellaria ovata* Hill: P; F; QSCC; DF-36
- Stachys tenuifolia* Willd.: P; F; WETL; DF-356
- Teucrium canadense* L.: P; F; POAN, URFP; DF-355
- LENTIBULARIACEAE
- Utricularia gibba* L.: P; F; WETL; DF-350
- LILIACEAE
- Erythronium mesochoreum* Knerr: P; F; QSCT, URFP; DF-334
- LINACEAE
- Linum sulcatum* Riddell: A; F; DAOF; DF-333
- LINDERNIACEAE
- Lindernia dubia* (L.) Pennell: A; F; WETL; DF-524
- LYTHRACEAE
- Ammannia coccinea* Rottb.: A; F; WETL; DF-331
- Lythrum alatum* Pursh: P; F; WETL; DF-332
- Rotala ramosior* (L.) Koehne: A; F; WETL; DF-330
- MALVACEAE
- Callirhoe alcaeoides* (Michx.) A. Gray: P; F; DAOF; DF-391
- Hibiscus laevis* All.: P; F; WETL; DF-390
- Hibiscus moscheutos* L. ssp. *lasiocarpus* (Cav.) O.J. Blanch.: P; F; WETL; DF-387
- **Hibiscus syriacus* L.: P; S; DAOF; DF-389
- Sida spinosa* L.: A; F; DAOF; DF-388
- MARANTACEAE
- †*Thalia dealbata* Fraser ex Roscoe: P; F; WETL; DF-385
- MARSILEACEAE
- ‡*Marsilea vestita* Hook. & Grev.: P; F; WETL; DF-386
- MENISPERMACEAE
- Cocculus carolinus* (L.) DC.: P; V; DAOF; DF-384
- MOLLUGINACEAE
- **Glinus lotoides* L.: A; F; WETL; DF-383
- Mollugo verticillata* L.: A; F; DAOF; DF-382
- MONTIACEAE
- Claytonia virginica* L.: P; F; DAOF; DF-484
- MORACEAE
- Maclura pomifera* (Raf.) C.K. Schneid.: P; T; DAOF; DF-348
- **Morus alba* L.: P; T; DAOF; DF-381
- Morus rubra* L.: P; T; POAN, URFP; DF-379
- NELUMBONACEAE
- Nelumbo lutea* Willd.: P; F; WETL; DF-347
- OLEACEAE
- Forestiera acuminata* (Michx.) Poir.: P; S; QPCI; DF-343
- Fraxinus americana* L.: P; T; QSCC; DF-346
- Fraxinus pennsylvanica* Marsh.: P; T; POAN, URFP; DF-340
- **Ligustrum sinense* Lour.: P; S; DAOF; DF-341
- ONAGRACEAE
- Ludwigia alternifolia* L.: P; F; WETL; DF-420
- Ludwigia decurrens* (DC.) Walter: P; F; WETL; DF-419
- Ludwigia palustris* (L.) Elliot: P; F; WETL; DF-417
- Ludwigia peploides* (Kunth) P.H. Raven: P; F; WETL; DF-415
- Ludwigia repens* J.R. Forst.: P; F; WETL; DF-416
- Oenothera filiformis* (Small) W.L. Wagner & Hoch: B; F; DAOF; DF 412
- Oenothera laciniata* Hill: A; F; DAOF; DF-413
- Oenothera linifolia* Nutt.: A; F; DAOF; DF-414
- Oenothera villosa* Thunb.: B; V; DAOF; DF-421
- OPHIOGLOSSACEAE
- Botrychium dissectum* Spreng.: P; F; QSCC; DF-411
- ORCHIDACEAE
- †*Hexalectris spicata* (Walter) Barnhart: P; F; QSCT; DF-410
- Spiranthes cernua* (L.) Rich.: P; F; WETL; DF-409

- Spiranthes lacera* (Raf.) Raf. var. *gracilis* (Bigelow) Luer: P; F; DAOF; DF-406
- Spiranthes magnicamporum* Sheviak: P; F; DAOF; DF-407
- OSMUNDACEAE
- Osmundastrum cinnamomea* (L.) C. Presl: P; F; DAOF; DF-405
- OROBANCHACEAE
- Agalinis fasciculata* (Elliot.) Raf.: A; F; DAOF; DF-529
- Agalinis gattingeri* (Small) Small: A; F; DAOF; DF-528
- Agalinis heterophylla* (Nutt.) Small: A; F; DAOF; DF-521
- Castilleja indivisa* Engelm.: A; F; DAOF; DF-526
- OXALIDACEAE
- Oxalis corniculata* L.: A; F; DAOF; DF-403
- Oxalis violacea* L.: P; F; QSCC; DF-404
- PAPAVERACEAE
- Corydalis micrantha* (Engelm. ex A. Gray) A. Gray: A; F; QSCC; DF-295
- PASSIFLORACEAE
- Passiflora incarnata* L.: P; F; DAOF; DF-401
- Passiflora lutea* L.: P; F; QSCT; DF-400
- PENTHORACEAE
- Penthorum sedoides* L.: P; F; WETL; DF-205
- PHYLLANTHACEAE
- Phyllanthus caroliniensis* Walter: A; F; DAOF; DF-321
- PHYTOLACCACEAE
- Phytolacca americana* L.: P; F; DAOF; DF-399
- PYRAMACEAE
- **Mazus pumilus* (Burm. f.) Steenis: A; F; DAOF; DF-516
- Mimulus alatus* Aiton: P; F; WETL; DF-527
- Phryma leptostachya* L.: P; F; URFP; DF-570
- PLANTAGINACEAE
- Bacopa rotundifolia* (Michx.) Wettst.: P; F; WETL; DF-522
- Collinsia violacea* Nutt.: A; F; QSCC; DF-513
- Leucospora multifida* (Michx.) Nutt.: A; F; WETL; DF-523
- Nuttallanthus texanus* (Scheele) D.A. Sutton: B; F; DAOF; DF-511
- Penstemon laxiflorus* Pennell: P; F; DAOF; DF-515
- †*Penstemon oklahomensis* Pennell: P; F; DAOF; DF-512
- Plantago aristata* Michx.: A; F; DAOF; DF-392
- Plantago patagonica* Jacq.: A; F; DAOF; DF-394
- Plantago pusilla* Nutt.: A; F; DAOF; DF-395
- Plantago rugelii* Decne.: P; F; URCL; DF-397
- Plantago virginica* L.: A; F; DAOF; DF-396
- **Veronica arvensis* L.: A; F; DAOF; DF-510
- Veronica *peregrina* L.: A; F; DAOF; DF-517
- PLATANACEAE
- Platanus occidentalis* L.: P; T; POAN; DF-398
- POACEAE
- Agrostis hyemalis* (Walt.) Britton, Sterns & Poggenb.: P; G; DAOF; DF-632
- **Aira elegantissima* Schur: A; G; DAOF; DF-629
- Alopecurus carolinianus* Walter: A; G; WETL; DF-451
- Andropogon gerardii* Vitman: P; G; DAOF; DF-464
- Andropogon ternarius* Michx.: P; G; DAOF; DF-459
- Andropogon virginicus* L.: P; G; DAOF; DF-460
- Aristida longespica* Poir.: A; G; DAOF; DF-623
- Aristida oligantha* Michx.: A; G; DAOF; DF-622
- Aristida purpurascens* Poir.: P; G; DAOF; DF-604
- **Bothriochloa ischaemum* (L.) Keng: P; G; DAOF; DF-433
- Bothriochloa laguroides* (DC.) Herter: P; G; DAOF; DF-438
- Bouteloua dactyloides* (Nutt.) Columbus: P; G; DAOF; DF-466
- **Bromus catharticus* Vahl: A; G; DAOF; DF-457
- **Bromus commutatus* Schrad.: A; G; DAOF; DF-712
- Bromus pubescens* Muhl. ex Willd.: P; G; URFP; DF-634
- **Bromus sterilis* L.: A; G; DAOF; DF-628
- Cenchrus spinifex* Cav.: P; G; DAOF; DF-439
- Chasmanthium latifolium* (Michx.) H.O. Yates: P; G; POAN, URFP; DF-429
- Cinna arundinacea* L.: P; G; QSCC, URFP; DF-431
- Coleataenia anceps* (Michx.) Soreng: P; G; POAN, URFP; DF-435
- Coleataenia longifolia* (Torr.) Soreng ssp. *rigidula* (Bosc ex Nees) Soreng: P; G; DAOF; DF-432
- **Cynodon dactylon* (L.) Pers.: P; G; DAOF; DF-471
- Danthonia spicata* (L.) P. Beauv. ex Roem. & Schult.: P; G; QSCT; DF-453
- Dichanthelium aciculare* (Desv. ex Poir.) Gould & C.A. Clark: P; G; QSCC; DF-713
- Dichanthelium acuminatum* (Sw.) Gould & C.A. Clark var. *acuminatum*: P; G; DAOF; DF-442
- Dichanthelium acuminatum* (Sw.) Gould & C.A. Clark var. *lindheimeri* (Nash) Gould & C.A. Clark: P; G; DAOF; DF-617
- Dichanthelium clandestinum* (L.) Gould: P; G; DAOF; DF-601
- Dichanthelium commutatum* (Schult.) Gould: P; G; QCSS; DF-620
- Dichanthelium linearifolium* (Scribn.) Gould: P; G; QCST; DF-452
- Dichanthelium malacophyllum* (Nash) Gould: P; G; QCSS, URFP; DF-711
- Dichanthelium polyanthes* (J.A. Schult.) Mohlenbr.: P; G; QSCC; DF-714
- Dichanthelium scoparium* (Lam.) Gould: P; G; WETL; DF-441
- Digitaria ciliaris* (Retz.) Koeler: A; G; DAOF; DF-710

- Echinochloa muricata* (P. Beauv.) Fern.: A; G; WETL; DF-443
- **Eleusine indica* (L.) Gaertn.: A; G; DAOF; DF-465
- Elymus virginicus* L.: P; G; QCSS; DF-624
- Eragrostis curtipedicellata* Buckley: P; G; DAOF; DF-444
- Eragrostis frankii* C.A. Mey. ex Steud.: A; G; DAOF; DF-621
- Eragrostis hirsuta* (Michx.) Nees: P; G; DAOF, QSCT; DF-606
- Eragrostis hypnoides* (Lam.) Britton, Sterns & Poggenb.: A; G; WETL; DF-638
- **Eragrostis japonica* (Thunb.) Trin.: A; G; WETL; DF-607
- **Eragrostis pilosa* (L.) P. Beauv.: A; G; DAOF; DF-709
- Eragrostis secundiflora* J. Presl ssp. *oxylepis* (Torr.) S.D. Koch: P; G; DAOF; DF-470
- Eriochloa contracta* Hitchc.: A; G; DAOF; DF-626
- Festuca subverticillata* (Pers.) E.B. Alexeev: P; G; QSSC, URFP; DF-650
- Glyceria striata* (Lam.) Hitchc.: P; G; WETL; DF-456
- Hordeum pusillum* Nutt.: A; G; DAOF; DF-454
- Leersia lenticularis* Michx.: P; G; WETL; DF-608
- Leersia oryzoides* (L.) Sw.: P; G; WETL; DF-705
- Leersia virginica* Willd.: P; G; URFP; DF-437
- Leptochloa panicea* (Retz.) Ohwi: A; G; WETL; DF-445
- **Lolium perenne* L.: A; G; DAOF; DF-631
- Mnesithea cylindrica* (Michx.) de Koning & Sosef: P; G; DAOF; DF-436
- Muhlenbergia capillaris* (Lam.) Trin.: P; G; QSSC; DF-706
- Muhlenbergia paniculata* (Nutt.) Columbus: P; G; DAOF; DF-450
- Muhlenbergia sobolifera* (Muhl. ex Willd.) Trin.: P; G; QSCT; DF-615
- Panicum capillare* L.: P; G; DAOF; DF-619
- Panicum dichotomiflorum* Michx.: A; G; DAOF; DF-707
- Panicum flexile* (Gatt.) Scribn.: A; G; DAOF; DF-616
- Panicum virgatum* L.: P; G; DAOF, WETL; DF-462
- **Paspalum dilatatum* Poir.: P; G; DAOF; DF-609
- Paspalum floridanum* Michx.: P; G; DAOF, WETL; DF-597
- Paspalum repens* P.J. Bergius: A; G; WETL; DF-461
- Paspalum setaceum* Michx.: P; G; DAOF; DF-446
- **Poa annua* L.: A; G; DAOF; DF-458
- **Poa pratensis* L.: P; G; DAOF; DF-636
- **Schedonorus arundinaceus* (Schreb.) Dumort: P; G; DAOF; DF-639
- Schizachyrium scoparium* (Michx.) Nash: P; G; DAOF; DF-467
- Setaria parviflora* (Poir.) Kerguélen: A; G; DAOF; DF-447
- Sorghastrum nutans* (L.) Nash: P; G; DAOF; DF-468
- **Sorghum halepense* (L.) Pers.: P; G; DAOF; DF-428
- Spartina pectinata* Link: P; G; WETL; DF-430
- Sphenopholis intermedia* (Rydb.) Rydb.: P; G; WETL; DF-635
- Sphenopholis obtusata* (Michx.) Scribn.: P; G; WETL; DF-625
- Sporobolus compositus* (Poir.) Merr.: P; G; DAOF; DF-423
- Sporobolus pyramidatus* (Lam.) Hitchc.: P; G; DAOF; DF-614
- Sporobolus vaginiflorus* (Torr. ex A. Gray) Alph. Wood: A; G; DAOF; DF-708
- Steinchisma hians* (Elliot) Nash: P; G; WETL; DF-424
- Tridens flavus* (L.) Hitchc.: P; G; DAOF; DF-434
- Tridens strictus* (Nutt.) Nash: P; G; DAOF; DF-610
- Tripsacum dactyloides* (L.) L.: P; G; DAOF; DF-426
- Triticum aestivum* L.: A; G; DAOF; DF-630
- Vulpia octoflora* (Walter) Rydb.: A; G; DAOF; DF-633
- Zizaniopsis miliacea* (Michx.) Döll & Asch: P; G; WETL; DF-425
- POLEMONIACEAE
- Phlox pilosa* L.: P; F; QSSC; DF-422
- POLYGALACEAE
- Polygala incarnata* L.: A; F; DAOF; DF-504
- POLYGONACEAE
- Fallopia scandens* (L.) Holub: P; F; WETL; DF-493
- Persicaria amphibia* (L.) Delarbre: P; F; WETL; DF-491
- Persicaria hydropiperoides* (Michx.) Small: P; F; WETL; DF-500
- Persicaria lapathifolia* (L.) Gray: A; F; WETL; DF-494
- Persicaria pensylvanica* (L.) M. Gómez: A; F; WETL; DF-495
- **Persicaria posumbu* (Buch.-Ham. ex D. Don) H. Gross: A; F; WETL; DF-496
- Persicaria virginiana* (L.) Gaertn.: P; F; URFP; DF-492
- **Polygonum aviculare* L. ssp. *buxiforme* (Small) Costea & Tardif: A; F; DAOF; DF-501
- Polygonum tenue* Michx.: A; F; DAOF; DF-502
- **Rumex crispus* L.: P; F; DAOF; DF-489
- Rumex hastatalus* Baldwin: P; F; DAOF; DF-487
- †*Rumex verticillatus* L.: P; F; WETL; DF-490
- PORTULACACEAE
- Portulaca oleracea* L.: A; F; DAOF; DF-486
- POTAMOGETONACEAE
- Potamogeton nodosus* Poir.: P; F; WETL; DF-483
- Stuckenia pectinata* (L.) Börner: P; F; WETL; DF-482
- RANUNCULACEAE
- Clematis pitcheri* Torr. & A. Gray: P; F; DAOF; DF-474
- Delphinium carolinianum* Walter ssp. *virescens* (Nutt.) R.E. Brooks: P; F; DAOF; DF-472
- Ranunculus abortivus* L.: P; F; WETL; DF-480
- Ranunculus laxicaulis* (Torr. & A. Gray) Darby: P; F; WETL; DF-476
- **Ranunculus sardous* Crantz: P; F; DAOF; DF-481
- Ranunculus sceleratus* L.: P; F; WETL; DF-477

†*Thalictrum revolutum* DC.: P; F; URFP; DF-473

ROSACEAE

Agrimonia rostellata Wallr.: P; F; QSCC; DF-560

Amelanchier arborea (F. Michx.) Fern.: P; T; QSCT; DF-551

Crataegus crus-galli L.: P; T; QSCT; DF-557

Crataegus spathulata Michx.: P; T; QSCT; DF-562

Crataegus viridis L.: P; T; QPCI; DF-558

**Duchesnea indica* (Andrews) Focke: P; F; DAOF; DF-552

Geum canadense Jacq.: P; F; URFP; DF-561

Prunus angustifolia Marshall: P; T; DAOF; DF-547

Prunus mexicana S. Watson: P; T; QSCT; DF-559

Prunus serotina Ehrh.: P; T; QSCC; DF-549

**Pyrus calleryana* Deenc.: P; T; DAOF; DF-550

**Rosa multiflora* Thunb.: P; V; DAOF; DF-548

Rosa setigera Michx.: P; V; DAOF; DF-546

Rubus argutus Link: P; V; DAOF; DF-556

**Rubus bifrons* Vest: P; V; QSCC; DF-554

Rubus flagellaris Willd.: P; V; URFP; DF-555

RUBIACEAE

Cephalanthus occidentalis L.: P; S; WETL; DF-535

**Cruciata pedemontana* (Bellardi) Ehrend.: A; F; DAOF; DF-541

Diodella teres (Walter) Small: A; F; WETL; DF-544

Diodia virginiana L.: P; F; WETL; DF-542

Galium aparine L.: A; F; DAOF; DF-537

Galium circaeans Michx.: P; F; URFP; DF-545

Galium obtusum Bigelow: P; F; DAOF; DF-539

Houstonia pusilla Schoepf: A; F; DAOF; DF-540

**Sherardia arvensis* L.: A; F; DAOF; DF-338

Spermacoce glabra Michx.: P; F; DAOF; DF-543

RUTACEAE

Zanthoxylum americanum Mill.: P; T; QSCC; DF-534

SALICACEAE

Populus deltoides W. Bartr. ex Marshall: P; T; POAN; DF-533

Salix nigra Marshall: P; T; WETL; DF-532

SANTALACEAE

Phoradendron serotinum (Raf.) M.C. Johnst. ssp. *serotinum*: P; F; QSCC; DF-567

SAPINDACEAE

Acer negundo L.: P; T; POAN, QPCI, URFP; DF-028

Acer saccharinum L.: P; T; POAN, QPCI, URFP; DF-027

Sapindus saponaria L. var. *drummondii* (Hook. & Arn.) L.D. Benson: P; T; DAOF; DF-531

SAPOTACEAE

Sideroxylon lanuginosum Michx.: P; T; QSCT; DF-530

SCROPHULARIACEAE

Scrophularia marilandica L.: P; F; QSCC; DF-519

**Verbascum thapsus* L.: B; F; DAOF; DF-525

SIMAROUBACEAE

**Ailanthes altissima* (Mill.) Swingle: P; T; DAOF; DF-509

SMILACACEAE

Smilax bona-nox L.: P; V; DAOF, QSCC; DF-508

Smilax tamnoides L.: P; V; QSCC, QSCT; DF-507

SOLANACEAE

Physalis angulata L.: A; F; DAOF; DF-592

Physalis heterophylla Nees: P; F; DAOF; DF-594

Physalis longifolia Nutt.: P; F, DAOF, QSCC; DF-593

Physalis pubescens L.: A; F; DAOF; DF-591

Solanum carolinense L.: P; F; DAOF; DF-596

Solanum elaeagnifolium Cav.: P; F; DAOF; DF-598

Solanum rostratum Dunal: A; F; DAOF; DF-600

Solanum ptychanthum Dunal: A; F; DAOF; DF-595

TETRACHONDRACEAE

Polypremum procumbens L.: A; F; DAOF; DF-17

TYPHACEAE

Typha latifolia L.: P; F; WETL; DF-583

ULMACEAE

Ulmus alata Michx.: P; T; QSCT; DF-586

Ulmus americana L.: P; T; URFP; DF-588

**Ulmus pumila* L.: P; T; DAOF; DF-589

Ulmus rubra Muhl.: P; T; URFP; DF-585

URTICACEAE

Boehmeria cylindrica (L.) Sw.: P; F; QPCI; DF-579

Pilea pumila (L.) A. Gray: A; F; URFP; DF-578

†*Urtica chamaedryoides* Pursh: A; F; URFP; DF-580

**Urtica urens* L.: A; F; URFP; DF-582

VALERIANACEAE

Valerianella radiata (L.) Dufr: A; F; DAOF; DF-577

VERBENACEAE

Glandularia canadensis (L.) Nutt.: P; F; DAOF; DF-569

Phyla lanceolata (Michx.) Greene: P; F; WETL; DF-572

Phyla nodiflora (L.) Greene: P; F; WETL; DF-573

Verbena bracteata Cav. ex Lag. & Rodr.: P; F; DAOF; DF-568

Verbena hastata L.: P; F; WETL; DF-576

Verbena simplex Lehm.: P; F; DAOF; DF-575

Verbena stricta Vent.: P; F; URFP; DF-574

Verbena urticifolia L.: P; F; WETL; DF-571

VIOLACEAE

Viola bicolor Pursh: A; F; DAOF; DF-564

Viola pubescens Aiton: P; F; URFP; DF-563

Viola sororia Willd.: P; F; URFP; DF-565

Viola sororia Willd. var. *missouriensis* (Greene) L.E. McKinney: P; F; URFP; DF-566

VITACEAE

Ampelopsis arborea (L.) Koehne: P; V; QCPI, URFP;
DF-643

Ampelopsis cordata Michx.: P; V; URFP; DF-642

Parthenocissus quinquefolia (L.) Planch.: P; V; DAOF;
DF-641

Vitis aestivalis Michx.: P; V; QSCT; DF-644

Vitis palmata Vahl: P; V; QSCC; DF-645

WOODSIACEAE

Woodsia obtusa (Spreng.) Torr.: P; F; QSCC; DF-647

ZYGOPHYLLACEAE

**Tribulus terrestris* L.: A; F; DAOF; DF-640