Bibliography of Oklahoma Palynology

Brian J. Cardott Oklahoma Geological Survey

- Allen, K.C., 1980, A review of in situ Late Silurian and Devonian spores: Review of Palaeobotany and Palynology, v. 29, no. 3-4, p. 253-270.
- Allen, K.C., 1981, A comparison of the structure and sculpture of in situ and dispersed Silurian and Early Devonian species: Review of Palaeobotany and Palynology, v. 34, no. 1, p. 1-9.
- Barker, G.W., and G.D. Wood, 1989, Microplankton and spores from the Woodford Shale (Devonian) of the Tobosa basin, southeast New Mexico--southwestern Texas, U.S.A. (abstract): American Association of Stratigraphic Palynologists Palynology, v. 13, p. 279.
- Barker, G.W., and J.A. Clendening, 1989, Palynology of some Upper Pennsylvanian outcrops from the midcontinent region, U.S.A. (abstract): American Association of Stratigraphic Palynologists Palynology, v. 13, p. 280.
- Bond, T.A., 1963, Palynology of the Weir-Pittsburg Coal (Pennsylvanian) of Oklahoma and Kansas: unpublished M.S. thesis, University of Oklahoma, Norman, 103 p.
- Bordeau, K.V., 1964, Palynology of the Drywood coal (Pennsylvanian) of Oklahoma: unpublished M.S. thesis, University of Oklahoma, Norman, 207 p.
- Braman, D.R., and L.V. Hills, 1980, The stratigraphic and geographic distribution of Carboniferous megaspores: Palynology, American Association of Stratigraphic Palynologists, v. 4, p. 23-41.
- Brauer, D.F., 1981, Heterosporous, barinophytacean plants from the Upper Devonian of North America and a discussion of the possible affinities of the Barinophytaceae: Review of Palaeobotany and Palynology, v. 33, no. 2-4, p. 347-362.
- Clarke, R.T., 1961, Palynology of the Secor Coal (Pennsylvanian) of Oklahoma: unpublished M.S. thesis, University of Oklahoma, Norman, 152 p.
- Cramer, F.H., and M.d.C.R. Diez, 1974, Silurian acritarchs; distribution and trends: Review of Palaeobotany and Palynology, v. 18, no. 1-2, p. 137-154.
- Davis, P.N., 1961, Palynology of the Rowe coal (Pennsylvanian) of Oklahoma: unpublished M.S. thesis, University of Oklahoma, Norman, 153 p.
- Dempsey, J.E., 1964, A palynological investigation of the Lower and Upper McAlester coals (Pennsylvanian) of Oklahoma: unpublished Ph.D. Dissertation, University of Oklahoma, Norman, 124 p.
- Dempsey, J.E., 1967, Sporomorphs from lower and upper McAlester coals (Pennsylvanian) of Oklahoma: an interim report: Review of Palaeobotany and Palynology, v. 5, no. 1-4, p. 111-118.
- Dibner, A.F., 1973, Morphology and classification of late Paleozoic monosaccate miospores: Review of Palaeobotany and Palynology, v. 16, no. 4, p. 263-270.
- Diez, M.d.C.R., and F.H. Cramer, 1974, Range chart of selected lower Paleozoic acritarch taxa: Review of Palaeobotany and Palynology, v. 18, no. 1-2, p. 155-170.
- Diez, M.d.C.R., and F.H. Cramer, 1977, Range chart of selected lower Paleozoic acritarch taxa; II. Index to parts I and II: Review of Palaeobotany and Palynology, v. 24, no. 1, p. 1-48.
- Dolly, E.D., 1965, Palynology of the Bevier coal (Pennsylvanian) of Oklahoma: unpublished M.S. thesis, University of Oklahoma, Norman, 115 p.
- Downie, C., S. Jardine, and H. Visscher, eds., 1974, Acritarchs: Review of Palaeobotany and Palynology, v. 18, no. 1-2, p. 1-186.
- Edwards, W.A., 1966, Palynology of the Francis Shale (Pennsylvanian) from near Ada, Oklahoma: unpublished M.S. thesis, University of Oklahoma, Norman, 113 p.

- Eriksson, M., and S.A. Leslie, 2003, Microfossils from the upper Sylvan Shale (Late Ordovician), Oklahoma, USA: Serie Correlacion Geologica, v. 17, p. 295-296.
- Eriksson, M.E., S.A. Leslie, and C.F. Bergman, 2005, Jawed polychaetes from the upper Sylvan Shale (Upper Ordovician), Oklkahoma, USA: Journal of Paleontology, v. 79, p. 486-496.
- Felix, C.J., and P.P. Burbridge, 1967, Palynology of the Springer Formation of southern Oklahoma, U.S.A.: Palaeontology, v. 10, part 3, p. 349-425.
- Gennett, Judith, Robert Ravn, and Anne Raymond, 1988, Pollen, spores, and the Dalton Coal (Upper Pennsylvanian) of northern Texas (abstract): AAPG Bulletin, v. 72, no. 9, p. 1112-1113.
- Gensel, P.G., 1980, Devonian in situ spores; a survey and discussion: Review of Palaeobotany and Palynology, v. 30, no. 1-2, p. 101-132.
- Gibson, L.B., 1961, Palynology and paleoecology of the Iron Post Coal (Pennsylvanian) of Oklahoma: unpublished Ph.D. dissertation, University of Oklahoma, Norman, 238 p.
- Gibson, L.B., and R.T. Clarke, 1968, Floral succession and palynological correlation: Journal of Paleontology, v. 42, p. 576-581.
- Grahn and Miller, 1986, Chitinozoa from the Middle Ordovician Bromide Formation, Arbuckle Mountains, Oklahoma, U.S.A.: N. Jb. Geol. Palaeont. Abh., v. 172, no. 3, p. 381-403.
- Harris, R.W., Jr., 1971, Palynology of the Sand Branch member of the Caney Shale Formation (Mississippian) of southern Oklahoma: unpublished Ph.D. dissertation, University of Oklahoma, Norman, 216 p.
- Hedlund, R.W., 1960, Microfossils of the Sylvan Shale (Ordovician) of Oklahoma: unpublished M.S. thesis, University of Oklahoma, Norman, 90 p.
- Hedlund, R.W., 1966, Palynology of the Red Branch member of the Woodbine Formation (Cenomanian), Bryan County, Oklahoma: Oklahoma Geological Survey, Bulletin 112, 69 p.
- Hedlund, R.W., and G. Norris, 1986, Dinoflagellate cyst assemblage from middle Albian strata of Marshall County, Oklahoma: U.S.A.: Review of Palaeobotany and Palynology, v. 46, no. 3-4, p. 293-309.
- Higgins, M.J., 1961, Stratigraphic position of the coal seam near Porter, Wagoner County, Oklahoma: unpublished M.S. thesis, University of Oklahoma, Norman, 83 p.
- Hopping, C.A., 1967, Palynology and the oil industry: Review of Palaeobotany and Palynology, v. 2, no. 1-4, p. 23-48.
- Jansonius, J., 1967, Systematics of the Chitinozoa: Review of Palaeobotany and Palynology, v. 1, no. 1-4, p. 345-360.
- Jenkins, W.A.M., 1969, Chitinozoa from the Ordovician Viola and Fernvale Limestones of the Arbuckle Mountains, Oklahoma: Palaeontology, Special Paper 5, 44 p.
- Jenkins, W.A.M., 1970, Chitinozoa from the Ordovician Sylvan Shale of the Arbuckle Mountains, Oklahoma: Palaeontology, v. 13, p. 261-288.
- Jenkins, W.A.M., 1971, Palynology and Silurian-Lower Devonian ("Hunton") stratigraphy in the subsurface of Oklahoma and the Texas Panhandle: Geological Society of America Bulletin, v. 82, p. 489-492.
- Jenkins, W.A.M., and L.A. Legault, 1979, Stratigraphic ranges of selected chitinozoa: Palynology, American Association of Stratigraphic Palynologists, v. 3, p. 235-264.
- Jones, D.H., 1957, Palynology of the Bevier Coal of Missouri: Columbia, Missouri, unpublished M.S. thesis, University of Missouri, 147 p.
- Kirkland, D.W., and N.O. Frederiksen, 1970, Cordaitina pollen from Pennsylvanian strata of Oklahoma and Texas: Review of Palaeobotany and Palynology, v. 10, no. 3, p. 221-231.
- Kremp, G.O.W., 1967, Tetrad markings of pteridophytic spores and their evolutionary significance: Review of Palaeobotany and Palynology, v. 3, no. 1-4, p. 311-323.

- Laufeld, S., reviewer, 1975, Bibliography and index of palaeobotany and palynology 1950-1970 (book review): Review of Palaeobotany and Palynology, v. 19, no. 3, p. 237-239.
- Loeblich, A.R., Jr., and W.S. Drugg, 1968, New Acritarchs from the Early Devonian (Late Gedinnian) Haragan Formation of Oklahoma, U.S.A.: Tulane Studies in Geology, v. 6, p. 129-137.
- Loeblich, A.R., Jr., 1970, Morphology, ultrastructure and distribution of Paleozoic acritarchs: North Amer. Paleont. Conv., Chicago (1969), Proc. G., p. 705-788.
- Loeblich, A.R., Jr., and H. Tappan, 1970, <u>Thysanoprobolus</u>, a new acritarch genus from the Early Devonian (Late Gedinnian) Haragan Formation of Oklahoma, U.S.A.: Proc. Biol. Soc. Wash., v. 83, p. 216-266.
- Loeblich, A.R., Jr., and E.R. Wicander, 1974, New Early Devonian (Late Gedinnian) microphytoplankton: <u>Demorhethium lappaceum</u> n.g., n.sp., from the Bois d'Arc Formation of Oklahoma, U.S.A.: Neus Jb. Geol. Palaeont. Mh., v. 12, p. 707-711.
- Loeblich, A.R., Jr., and E.R. Wicander, 1976, Organic-walled micro-phytoplankton from the Lower Devonian (Late Gedinnian) Haragan and Bois d'Arc Formations of Oklahoma, U.S.A., part 1: Palaeontographica Abt. B., v. 159, p. 1-39.
- Madler, K.A., 1967, Hystrichophyta and acritarchs: Review of Palaeobotany and Palynology, v. 5, no. 1-4, p. 285-290.
- Manten, A.A., 1968, A short history of palynology in diagrams: Review of Palaeobotany and Palynology, v. 6, no. 3-4, p. 177-188.
- Manten, A.A., ed., 1969, Bibliography of palaeopalynology 1836-1966: Review of Palaeobotany and Palynology, v. 8, no. 1-4, p. 1-570.
- McGregor, D.C., 1979, Devonian miospores of North America: Palynology, American Association of Stratigraphic Palynologists, v. 3, p. 31-52.
- McGregor, D.C., 1981, Spores and the Middle-Upper Devonian boundary: Review of Palaeobotany and Palynology, v. 34, no. 1, p. 25-47.
- McKinney, J.S., 1959, Petrographic analysis of the Croweburg Coal and its associated sediments: unpublished M.S. thesis, University of Oklahoma, Norman, 124 p.
- Meyers, W.C., 1967, Palynological correlation of the Henryetta Coal: Oklahoma Geological Survey, Oklahoma Geology Notes, v. 27, p. 34-38.
- Miller, F.X., 1961, Spore analysis of the Dawson coal: unpublished M.S. thesis, University of Tulsa, 98 p.
- Miller, F.X., 1966, <u>Circlettisporites dawsonensis</u> Gen. Et Sp. Nov. from the Dawson Coal of Oklahoma: Pollen et Spores, v. 8, no. 1, p. 223-228.
- Morgan, B.E., 1967, Palynology of a portion of the El Reno Group (Permian), southwest Oklahoma: unpublished Ph.D. dissertation, University of Oklahoma, Norman, 130 p. [abstract in Ok. Geol. Notes, v. 28, no. 4, p. 155 (1968)]
- Morgan, J.L., 1955, The correlation of certain Desmoinesian coal beds of Oklahoma by spores: unpublished M.S. thesis, University of Oklahoma, Norman, 98 p.
- Morgan, J.L., 1955, Spores of McAlester Coal: Oklahoma Geological Survey, Circular 36, 56 p.
- Morgan, R.A., 1967, Palynology of the Ozan Formation (Cretaceous), McCurtain County, Oklahoma: unpublished M.S. thesis, University of Oklahoma, Norman, 121 p.
- Nygreen, P.W., 1970, An unusual palynological assemblage from the Ordovician of Oklahoma (Abstract): Oklahoma Geological Survey, Oklahoma Geology Notes, v. 30, no. 3, p. 60.
- Oakes, M.C., 1944, Broken Arrow Coal and associated strata: Oklahoma Geological Survey, Circular 24, 40 p.
- Oakes, M.C., 1953, Krebs and Cabaniss Groups of Pennsylvanian age in Oklahoma: AAPG Bulletin, v. 37, p. 1523-1526.
- Oberg, R., 1966, The conodont fauna of the Viola Formation: unpublished M.S. thesis, University of Iowa, 194 p.

- Owens, B., and H. Visscher, 1981, Acritarchs, chitinozoa and scolecodonts; recent advances: Review of Palaeobotany and Palynology, v. 34, no. 2, p. 137-267.
- Pearson, D.L., 1975, Palynology of the Middle and Upper Seminole coals (Pennsylvanian) of Tulsa County, Oklahoma: unpublished M.S. thesis, University of Oklahoma, Norman, 74 p. [Abstract in Ok. Geol. Notes, v. 35, p. 162 (1975)]

Peppers, R.A., 2013, Carboniferous palynology in Midcontinent North America: Stratigraphy, v. 10, p. 117-125.

- Playford, G., and R. Wicander, 2006, Organic-walled microphytoplankton of the Sylvan Shale (Richmondian, Upper Ordovician), Arbuckle Mountains, southern Oklahoma, U.S.A.: OGS Bulletin 148, 109 p.
- Potter, D.E., 1963, The palynology of an Oklahoma coal seam in the top of the Omadi Formation of Cimarron County: New York University, unpublished M.S. thesis.
- Potter, D.E., 1970, Palynology and environmental analysis of Upper Pennsylvanian strata, Keystone Reservoir area, Oklahoma (Abstract): Oklahoma Geological Survey, Oklahoma Geology Notes, v. 30, no. 3, p. 60-61.
- Quinn, III, H.E., 1986, Sedimentary facies, structure, and palynology of the lower and middle members of the Atoka Formation, central Arkansas: unpublished M.S. thesis, University of Missouri-Columbia, 157 p.
- Rashid, M.A., 1968, Palynology of the Bostwick member of the Lake Murray Formation (Pennsylvanian) of southern Oklahoma: unpublished M.S. thesis, University of Oklahoma, Norman, 121 p.
- Reid, P.C., and A.W.G. John, 1981, A possible relationship between Chitinozoa and tintinnids: Review of Palaeobotany and Palynology, v. 34, no. 2, p. 251-262.
- Richardson, J.B., S.M. Rasul and T. Al-Ameri, 1981, Acritarchs, miospores and correlation of the Ludlovian-Downtonian and Silurian-Devonian boundaries: Review of Palaeobotany and Palynology, v. 34, no. 2, pp. 209-224.
- Ruffin, J.H., 1961, Palynology of the Tebo Coal (Pennsylvanian) of Oklahoma: unpublished M.S. thesis, University of Oklahoma, Norman, 124 p.
- Sanders, R.B., 1967, Palynological investigation of Desmoinesian and Missourian strata, Elk City area, Oklahoma: unpublished Ph.D. dissertation, University of Oklahoma, Norman, 164 p.
- Schopf, J.M., L.R. Wilson, and Ray Bentall, 1944, An annotated synopsis of Paleozoic spores and the definition of generic groups: Illinois State Geological Survey, Report of Investigations 91, 72 p.
- Sen, J., 1958, Notes on the spores of four Carboniferous lycopods: Micropaleontology, v. 4, no. 2, p. 159-164.
- Simpson, H.M., 1969, Palynology and the vertical sedimentary profile of Missourian strata, Tulsa County, Oklahoma: unpublished M.S. thesis, University of Tulsa, 73 p.
- Stafleu, F.A., 1967, Palynology, nomenclature and terminology: Review of Palaeobotany and Palynology, v. 3, no. 1-4, p. 15-26.
- Streel, M., and A. Traverse, 1978, Spores from the Devonian/Mississippian transition near the Horseshoe Curve section, Altoona, Pennsylvania, U.S.A.: Review of Palaeobotany and Palynology, v. 26, no. 1-4, p. 21-39.
- Sullivan, H.J., 1972, Diagnoses of Carboniferous miospore genera: Louisiana State University, 5th Palynology Short Course Palaeozoic Palynology, unpagenated.
- Tynan, E.J., 1959, Occurrence of <u>Cordaites michiganensis</u> in Oklahoma: Oklahoma Geological Survey, Oklahoma Geology Notes, v. 19, no. 3, p. 43-46.
- Upshaw, C.F., and R.W. Hedlund, 1967, Miospores from the upper part of the Coffeyville Formation (Pennsylvanian, Missourian), Tulsa County, Oklahoma: Pollen et Spores, v. 9, no. 1, p. 143-170.
- Urban, J.B., 1960, Microfossils of the Woodford Shale (Devonian) of Oklahoma: unpublished M.S. thesis, University of Oklahoma, Norman, 77 p.
- Urban, J.B., 1962, Palynology of the Mineral Coal (Pennsylvanian) of Oklahoma and Kansas: unpublished Ph.D. dissertation, University of Oklahoma, Norman, 147 p.

- Urban, J.B., 1970, Palynology of the Mineral Coal, Desmoinesian Series of Oklahoma and Kansas (Abstract): Oklahoma Geological Survey, Oklahoma Geology Notes, v. 30, no. 3, p. 61-62.
- Urban, L.L., 1965, Palynology of the Drywood and Bluejacket coals (Pennsylvanian) of Oklahoma: unpublished M.S. thesis, University of Oklahoma, Norman, 91 p.
- Von Almen, W.F., 1970a, Palynomorphs of the Woodford Shale of south-central Oklahoma with observations on their significance in zonation and paleoecology: Michigan State University, unpublished Ph.D. dissertation, 179 p.
- Von Almen, W.F., 1970b, Miospores from Devonian-Mississippian boundary, Carter County, Oklahoma, U.S.A., *in* Colloques sur la Stratigraphie du Carbonifére: Contrés et Colloques, Univ. Liége, v. 55, p. 423-427.
- White, David, 1937, Fossil plants from the Stanley Shale and Jackfork Sandstone in southeastern Oklahoma and western Arkansas: U.S. Geological Survey, Professional Paper 186-C p. 43-67.
- Wicander, Reed, 1983, A catalog and biostratigraphic distribution of North American Devonian acritarchs: American Association of Stratigraphic Palynologists, Contributions Series no. 10, 133 p.
- Wicander, R., 1986, Lower Devonian (Gedinnian) acritarchs from the Haragan Formation, Oklahoma, U.S.A.: Review of Palaeobotany and Palynology, v. 47, no. 3-4, p. 327-365.
- Wiggins, V.D., 1962, Palynomorph fossils from the Goddard Formation (Mississippian) of southern Oklahoma: unpublished M.S. thesis, University of Oklahoma, Norman, 123 p.
- Wilson, L.R., 1946, The correlation of sedimentary rocks by fossil spores and pollen: Journal of Sedimentary Petrology, v. 16, p. 110-120.
- Wilson, L.R., and W.S. Hoffmeister, 1956, Plant microfossils of the Croweburg coal: Oklahoma Geological Survey, Circular 32, 57 p.
- Wilson, L.R., and W.S. Hoffmeister, 1958, Plant microfossils in the Cabaniss coals of Oklahoma and Kansas: Oklahoma Geological Survey, Oklahoma Geology Notes, v. 18, no. 2, p. 27-30.
- Wilson, L.R., 1958, A Chitinozoan faunule from the Sylvan Shale of Oklahoma: Oklahoma Geological Survey, Oklahoma Geology Notes, v. 18, no. 4, p. 67-71.
- Wilson, L.R., 1958, Oklahoma's oldest fossil trees: Oklahoma Geological Survey, Oklahoma Geology Notes, v. 18, no. 11, p. 172-176.
- Wilson, L.R., 1959, Genotype of <u>Densosporites</u> Berry, 1937: Oklahoma Geological Survey, Oklahoma Geology Notes, v. 19, no. 3, p. 47-50.
- Wilson, L.R., 1960, <u>Florinites pelucidus</u> and <u>Endosporites ornatus</u> with observations on their morphology: Oklahoma Geological Survey, Oklahoma Geology Notes, v. 20, no. 2, p. 29-33.
- Wilson, L.R., and R.T. Clarke, 1960, A Mississippian Chitinozoan from Oklahoma: Oklahoma Geological Survey, Oklahoma Geology Notes, v. 20, no. 6, p. 148-150.
- Wilson, L.R., 1960, Development of paleobotany in Oklahoma: Oklahoma Geological Survey, Oklahoma Geology Notes, v. 20, no. 9, p. 217-223.
- Wilson, L.R., 1961, Palynological fossil response to low-grade metamorphism in the Arkoma basin: Tulsa Geological Society Digest, v. 29, p. 131-140.
- Wilson, L.R., 1962, Permian plant microfossils from the Flowerpot Formation, Green County, Oklahoma: Oklahoma Geological Survey Circular 49, 50 p.
- Wilson, L.R., 1963, A geological history of Oklahoma's vegetation: OCGS Shale Shaker, v. 13, no. 9, p. 4-20.
- Wilson, L.R., and J.B. Urban, 1963, An Incertae Sedis palynomorph from the Devonian of Oklahoma: Oklahoma Geological Survey, Oklahoma Geology Notes, v. 23, no. 1, p. 16-19.

- Wilson, L.R., 1963, Type species of the Paleozoic pollen genus <u>Florinites</u> Schopf, Wilson, and Bentall, 1944: Oklahoma Geological Survey, Oklahoma Geology Notes, v. 23, p. 29.
- Wilson, L.R., and B.S. Venkatachala, 1963, <u>Thymospora</u>, a new name for Verrucososporites: Oklahoma Geological Survey, Oklahoma Geology Notes, v. 23, no. 3, p. 75-79.
- Wilson, L.R., and B.S. Venkatachala, 1963, An emendation of <u>Vestispora</u> Wilson and Hoffmeister, 1956: Oklahoma Geological Survey, Oklahoma Geology Notes, v. 23, no. 4, p. 94-100.
- Wilson, L.R., and B.S. Venkatachala, 1963, Morphological variation of <u>Thymospora pseudothiessenii</u> (Kosanke) Wilson and Venkatachala, 1963: Oklahoma Geological Survey, Oklahoma Geology Notes, v. 23, no. 5, 0. 125-132.
- Wilson, L.R., and W.S. Hoffmeister, 1964, Taxonomy of the spore genera <u>Lycospora</u> and <u>Cirratriradites</u> in the Croweburg Coal: Oklahoma Geological Survey, Oklahoma Geology Notes, v. 24, no. 2, p. 33-35.
- Wilson, L.R., 1964, Palynological assemblage resemblance in the Croweburg Coal of Oklahoma: Oklahoma Geological Survey, Oklahoma Geology Notes, v. 24, no. 6, p. 138-143.
- Wilson, L.R., and R.W. Hedlund, 1964, <u>Calpichitina scabiosa</u>, a new Chitinozoan from the Sylvan Shale (Ordovician) of Oklahoma: Oklahoma Geological Survey, Oklahoma Geology Notes, v. 24, no. 7, p. 161-164.
- Wilson, L.R., and E.D. Dolly, 1964, Chitinozoa in the Tulip Creek Formation, Simpson Group (Ordovician), of Oklahoma: Oklahoma Geological Survey, Oklahoma Geology Notes, v. 24, no. 10, p. 224-232.
- Wilson, L.R., 1965, Palynological age determination of a rock section in Ti Valley, Pittsburg County, Oklahoma: Oklahoma Geological Survey, Oklahoma Geology Notes, v. 25, no. 1, p. 11-18.
- Wilson, L.R., 1966, Palynological evidence for Mississippian age of the Springer Formation: Ardmore Geological Society, Guidebook Pennsylvanian of the Ardmore Basin, p. 20-24.
- Wilson, L.R., 1966, Type species of <u>Cirratriradites</u> Wilson and Coe, 1940: Oklahoma Geological Survey, Oklahoma Geology Notes, v. 26, no. 2, p. 38-42.
- Wilson, L.R., and B.S. Venkatachala, 1967, <u>Circlettisporites</u> Miller, 1966, a synonym of <u>Leschikisporis</u> Potonie, 1958: Pollen et Spores, v. 9, no. 2, p. 363-365.
- Wilson, L.R., and J.J. Skvarla, 1967, Electron-microscope study of the wall structure of <u>Quisquilites</u> and <u>Tasmanites</u>: Oklahoma Geological Survey, Oklahoma Geology Notes, v. 27, no. 3, p. 54-63.
- Wilson, L.R., 1970, Palynology of Oklahoma's ten-foot coal seam: Oklahoma Geological Survey, Oklahoma Geology Notes, v. 30, p. 62-63.
- Wilson, L.R., and J.B. Urban, 1971, Electron microscope studies of the marine palynomorph Quisquilites: Micropaleontology, v. 17, p. 239-243.
- Wilson, L.R., 1972, Fossil plants of the Seminole Formation (Pennsylvanian) in Tulsa County, Oklahoma: Tulsa Geological Society Digest, v. 37, p. 151-161.
- Wilson, L.R., 1972, Palynology of a Sequoyah coal deposit in Rogers County, Oklahoma: unpublished manuscript.
- Wilson, L.R., 1975, A microscope-slide-mounting technique for exchange of palynological materials: Review of Palaeobotany and Palynology, v. 19, no. 3, p. 233-234
- Wilson, L.R., 1976, A preliminary assessment of palynomorph stratigraphy in Morrow and Atoka rocks of the Ouachita Mountains, Oklahoma, in R.E. Decker and Bernard Black, eds., A study of Paleozoic rocks in Arbuckle and western Ouachita Mountains of southern Oklahoma: Gulf Coast Association of Geol. Societies, Shreveport Geological Society Guidebook for 1976 Field Trip, p. 83-89.

Wilson, L.R., 1976, Desmoinesian coal seams of northeastern Oklahoma and their palynological content, in R.W. Scott, ed., Coal and oil potential of the Tri-State area: Tulsa Geological Society field trip, April 30-May 1, 1976, p. 19-32.

Wilson, L.R., 1979, Comparison of the compression and palynological floras of the Henryetta (Pennsylvanian) coal of Oklahoma (abstract): IXICC, Abstracts with Programs, p. 234.

- Wilson, L.R., 1979, Palynologic and plant compression evidence for Desmoinesian Missourian (Pennsylvanian) Series boundary in northeastern Oklahoma (abstract): AAPG Bulletin, v. 63, no. 11, p. 2120. [see also IXICC Abstracts of Papers, p. 234-
- Wilson, L.R., 1980, Comparison of the litho- and biostratigraphy at the Pennsylvanian-Permian boundary in Oklahoma and Kansas: Palynology, American Association of Stratigraphic Palynologists, v. 4, p. 254.
- Wilson, L.R., and A.P. Bennison, 1981, Multidiscipline evidence for a new Desmoinesian-Missourian (Pennsylvanian) boundary in central Oklahoma: Palynology, American Association of Stratigraphic Palynologists, v. 5, p. 244-245.
- Wilson, L.R., 1984, Evidence for a new Desmoinesian-Missourian boundary (middle Pennsylvanian) in Tulsa County, Oklahoma, U.S.A., in A.K. Sharma, G.C. Mitra, and Manjy Banerjec, eds., Proceedings of the Symposium on Evolutionary Botany and Biostratigraphy: Evolutionary Botany and Biostratigraphy, A.K. Ghosh Commemorative, v. 10, p. 251-265.
- Wingate, F.H., 1974, Palynology of the Denton Shale (Lower Cretaceous) of southeastern Oklahoma: unpublished Ph.D. dissertation, University of Oklahoma, Norman, 266 p.